



INFINITY H-50


Overview

Infinity H-50 merupakan kamera berbentuk dome tanpa infrared sehingga memiliki warna natural yang dapat digunakan di ruangan dengan pencahayaan cukup. Kamera ini menggunakan chipset high-end sony superHAD2 dengan resolusi 800 TVL.

Key Feature

- Compact design
- Sony SuperHAD2 Infinitycctv.com.tw all rightreserved 2013
- Min. illumination: 0.1 Lux @ F1.2 (0 Lux with IR)
- Auto white balance, auto gain control, electronic shutter control and backlight compensation
- Internal Synchronization
- Advanced Engineering Design, High Reliability
- Patent universal adjustable structure provides convenient adjustment and high reliability

Dimension



Specification

Model	H-50
Parameter	<small>Infinitycctv.com.tw all rightreserved 2013</small> 800TVL Dome Camera (ICR)
Camera	
Image Sensor	1/3"
Signal System	PAL/NTSC
Effective Pixels	1280 (H) × 960 (V)
Min. Illumination	0.1 Lux @ (F1.2, AGC ON)
Shutter speed	PAL: 1/50 s to 1/100,000 s NTSC: 1/60 s to 1/100,000 s
Lens	3.6 mm (2.8mm, 6mm optional) Angle of view: 68.4° (3.6 mm)
Lens Mount	M12
Angle Adjustment	Pan: 0 - 355°; Tilt: 0 - 90°; Rotation: 0 - 355°
Day & Night	Electronic
Horizontal Resolution	800 TVL
Synchronization	Internal synchronization
Video Output	1Vp-p composite output (75 Ω/BNC)
S/N Ratio	More than 62 dB
General	
Working Temperature/Humidity	-40 °C - 60 °C (-40 °F - 140 °F) Humidity 90% or less (non-condensing)
Power Supply	12 V DC ± 10%
Power Consumption	Max. 1 W
IR Range	-
Dimensions	Φ 97.8 x 64.4 mm (φ 3.85" x 2.54")
Weight	300 g (0.66 lbs)